# **DECLARATION**

| I Sejabaledi Agnes Rankoana declare that the thesis on The Use of Indigenous Knowledg        |
|--|
| for Primary Health Care among the Northern Sotho in the Limpopo Province' presents the       |
| results of empirical study conducted by me. The thesis also presents secondary data analysis |
| from literature sources which are acknowledged by means of references.                       |
|  |
|  |
|  |
|  |
|  |
|  |
|  |
| Miss Sejabaledi Agnes Rankoana Date  |

## **ACKNOWLEDGEMENTS**

I am deeply indebted to my supervisors Professor Supa Pengpid of University of Limpopo, MEDUNSA Campus and Dr. Motlalepula Gilbert Matsabisa of the Medical Research Council in Cape Town, for their untiring enthusiasm, help and guidance in the areas of Public Health and Indigenous Knowledge. Sincere thanks are extended to Dr. Motlalepula Matsabisa for assisting me with the application for a Staff Development Grant from the Medical Research Council.

I am also indebted to Dr. Paul Shilubane, the Head of the Department of Sociology and Anthropology at the University of Limpopo, Turfloop Campus, for his patience and kindness in assisting me to get a replacement of Professor J.S Malan after he declined as supervisor of my study.

Sincere thanks are extended to Professors Martin Potgieter and Dirk Wissels of the Department of Botany. They supported the idea of researching about the aspects of indigenous primary health care in the Limpopo Province. They encouraged me to conduct this study in a wider area; i.e. in four communities of the Northern Sotho to obtain a wider perspective on the use of indigenous knowledge for primary health care.

I am most grateful to my research assistants from the four communities I selected for the study. They were helpful in administration of the questionnaire and data capturing. They are Mr. N. Kgomo, Mr. W. Maake, Ms. P. Sathekge and Ms. S. Mamabolo. I wish to express my

appreciation to my sponsor, the Medical Research Council for assisting me with a Staff Development Grant to carry out fieldwork and data analysis.

## **ABSTRACT**

An exploratory study was conducted on the ethnomedical aspects of rural communities in the Limpopo Province with emphasis on the use of cultural practices, values and belief systems to meet primary health care needs. The study explored the use of indigenous medical knowledge for remedial, preventive and protective health care. Qualitative and quantitative data were collected through interviews and questionnaire administration with 240 research respondents purposely selected from four communities of the Northern Sotho in the Limpopo Province.

The research findings show that the Northern Sotho culture is composed of a wealth of indigenous knowledge, practices, values and belief systems that were developed by the people themselves with the objective of maintaining good health. The study respondents have extensive experience and knowledge about the elements responsible for much of the diseases that afflict them. For this reason, they have developed cultural belief systems and values that lessen the risks for contracting disease. Susceptibility to disease is lessened by knowledge about cosmological factors, disease etiologies, heeding of cultural taboos, moral behaviour, hygiene, healthy diet, drinking of clean water and proper sanitation and waste removal. Immunization against disease is accomplished through administration of indigenous plant medicines dispensed by traditional health practitioners.

Instances of self-medication were encountered in 18% of the respondents. The respondents apply simple home remedies for prevention and remedial purposes. Treatment is meant for

simple ailments such as flu, cough, diarrhea, snakebites, fever, measles and mumps. The medicines administered for self-medication are prepared in the household by the patient, his/her parent or a family member. Traditional health practitioners are consulted for preventive, protective and remedial care by 52% of the respondents and their families. Traditional health practitioners provide holistic remedial care through administration of medicines prepared from the indigenous plant materials such as bulbs, roots, leaves and bark of trees.

The indigenous health care mechanisms of the Northern Sotho address basic elements of primary health care such as fostering self-care and self-reliance, community participation and the use of traditional medical practices for the maintenance of good health. It is recommended that the indigenous knowledge of preventive, protective and remedial care should be incorporated into Primary Health Care Programs to promote the WHO principle that communities should plan and implement their own health care services. Scientific validation of the health benefits derived from the consumption or utilization of medicinal plants should be encouraged.

| TABLE OF CONTENTS PAGE |  |    |
|------------------------|--|----|
| CHAPTER                | 1.INTRODUCTION   |    |
| 1.1                    | Background of the study  | 1  |
| 1.2                    | Problem statement  | 3  |
| 1.3                    | Study aim and objectives   | 6  |
| 1.4                    | Research questions   | 7  |
| 1.5                    | Significance of the study  | 8  |
| 1.6                    | Chapter outline  | 9  |
| CHAPTER                | 2.LITERATURE REVIEW  |    |
| 2.1                    | Introduction   | 12 |
| 2.2                    | Indigenous knowledge   | 12 |
| 2.2.1                  | Introduction   | 12 |
| 2.2.2                  | Definition of indigenous knowledge                                       | 14 |
| 2.3                    | Indigenous knowledge of health care                                      |    |
| 2.3.1                  | Health care  | 17 |
| 2.3.2                  | Indigenous knowledge of health care                                      | 19 |
| 2.3.3                  | Herbal therapy   | 21 |
| 2.3.4                  | African traditional health care  | 23 |
| 2.3.5                  | Research on indigenous health care                                       | 24 |
| 2.3.6                  | The Northern Sotho traditional systems of health care                    | 26 |
| 2.4                    | Primary health care  |    |
| 2.4.1                  | Aspects of primary health care   | 27 |
| 2.4.2                  | The role of traditional medicine in primary health care                  | 30 |
| 2.4.3                  | Development of traditional medicine and its integration into health care |    |
|                        | systems  | 32 |
| 2.4.4                  | Perspectives on primary health care                                      |    |
| 2.4.4.1                | Introduction   | 40 |
| 2.4.4.2                | Primary health care: The health care provider's perspective              | 42 |
| 2.4.4.3                | Primary health care: The patient's perspective                           | 43 |
| 2.4.4.4                | Primary health care: The traditional health practitioner's perspective   | 46 |
| 2.5.                   | Theoretical framework  |    |
| 2.5.1                  | Introduction   | 48 |
| 2.5.2                  | Ethnomedical Model   | 49 |
| 2.5.3                  | Explanatory Model  | 50 |
| 2.5.4                  | Pender's Health Promotion Model  | 50 |
| 2.5.5                  | Usefulness of the three models   | 51 |
| 2.3.3                  | eserances of the time models   | 51 |
|                        | 3. RESEARCH METHODOLOGY AND STUDY AREA                                   |    |
| 3.1                    | Introduction   | 53 |
| 3.2                    | Research methodology   |    |
| 3.2.1                  | Research design  | 54 |
| 3.2.2                  | Population and sample  | 56 |
| 3.2.2.1                | Sample composition   | 56 |
| 3.2.2.2                | Sample size  | 57 |

| 3.2.2.3   | Sampling procedure                                      | 58  |
|-----------|---|-----|
| 3.2.3     | Data collection   |     |
| 3.2.3.1   | In-depth interviews                                     | 59  |
| 3.2.3.2   | Observations  | 62  |
| 3.2.3.3   | Transect walks  | 63  |
| 3.2.3.4   | Questionnaire administration                            | 65  |
| 3.2.4     | Date and venue of data collection                       | 66  |
| 3.2.5     | Summary of research instruments                         | 66  |
| 3.2.6     | Data analysis   |     |
| 3.2.6.1   | Qualitative data analysis                               | 69  |
| 3.2.6.2   | Quantitative data analysis                              | 70  |
| 3.2.7     | Reliability and validity of data                        | 71  |
| 3.2.8     | Ethical considerations                                  |     |
| 3.2.8.1   | Entry into the research setting                         | 73  |
| 3.2.8.2   | Informed consent  | 73  |
| 3.2.8.3   | Freedom from harm                                       | 74  |
| 3.2.8.4   | Right to self-determination                             | 74  |
| 3.2.8.5   | Right to full disclosure                                | 75  |
| 3.2.8.6   | Right to fair treatment                                 | 75  |
| 3.2.8.7   | Right to privacy  | 75  |
| 3.2.8.8   | Anonymity and confidentiality                           | 76  |
| 3.3       | Overview of the study area                              |     |
| 3.3.1     | Introduction  | 76  |
| 3.3.2     | Research setting  |     |
| 3.3.2.1   | Topography  | 78  |
| 3.3.2.2   | Ethnography   | 80  |
| 3.3.3     | Communities selected for the study                      |     |
| 3.3.3.1   | Modjadji community                                      | 81  |
| 3.3.3.2   | Mogalakwena community                                   | 83  |
| 3.3.3.3   | Mohlaletsi community                                    | 84  |
| 3.3.3.4   | Dikgale community                                       | 85  |
| 3.3.4     | Ethnography   |     |
| 3.3.4.1   | Settlement patterns                                     | 86  |
| 3.3.4.2   | Health-related infrastructure                           | 86  |
| CHAPTER 4 | RESEARCH RESULTS  |     |
| 4.1       | Introduction  | 93  |
| 4.2       | Section 1. Demographic information of the respondents   |     |
| 4.2.1     | Sample composition                                      | 94  |
| 4.2.2     | Age of respondents                                      | 95  |
| 4.2.3     | Respondents' educational standards                      | 96  |
| 4.2.4     | Respondents' occupation                                 | 97  |
| 4.2.5     | Respondents' marital status                             | 98  |
| 4.3       | Section 2. Perception of disease                        |     |
| 4.3.1     | Description of disease                                  |     |
| 4.3.1.1   | Traditional health practitioners' perception of disease | 100 |

| 4.3.1.2                | Patients' and community members' perception of disease                      | 102        |
|------------------------|---|------------|
| 4.3.2                  | Main causes of disease  |            |
| 4.3.2.1                | Modimo  | 103        |
| 4.3.2.2                | Badimo  | 104        |
| 4.3.2.3                | Witches and sorcerers   | 104        |
| 4.3.2.4                | Ecological factors  | 105        |
| 4.3.2.5                | Biological and psychological factors  | 107        |
| 4.4.                   | Section 3. Utilization of primary health care facilities in the study       |            |
|                        | communities   |            |
| 4.4.1                  | Primary health care facilities used in the study communities                | 108        |
| 4.4.2                  | Responses from community members  | 108        |
| 4.4.3                  | Responses from patients   | 109        |
| 4.4.4                  | Responses from traditional health practitioners                             | 110        |
| 4.5                    | Section 4. Indigenous mechanisms employed for preventive and prote          |            |
|                        | purposes of primary health care   |            |
| 4.5.1                  | Cultural belief systems and practices                                       |            |
| 4.5.1.1                | Cosmological factors  | 113        |
| 4.5.1.2                | Disease etiologies  | 114        |
| 4.5.1.3                | Isolation   | 115        |
| 4.5.2                  | Cultural values   | 110        |
| 4.5.2.1                | Acculturation   | 117        |
| 4.5.2.2                | Taboo   | 118        |
| 4.5.2.3                | Moral behavior  | 118        |
| 4.5.2.4                | Traditional dietary affects   | 119        |
| 4.5.2.5                | Hygiene   | 122        |
| 4.5.2.6                | Sanitation  | 123        |
| 4.5.2.7                | Water supply  | 123        |
| 4.5.2.8                | Storage systems   | 123        |
| <b>4.</b> <i>5.2.8</i> | Section 5. Remedial care by self-medication                                 | 123        |
| 4.6.1                  | Self-medication   | 124        |
| <b>4.</b> 0.1          |   | 124        |
| 4./                    | Section 6. Primary health care sought from traditional health practitioners |            |
| 4.7.1                  | Introduction  | 130        |
| 4.7.1                  |   |            |
| 4.7.2                  | Preventive and protective care provided by traditional health practitioners |            |
|                        | Remedial care provided by traditional health practitioners                  | 134<br>134 |
| 4.7.3.1                | Diagnosis   |            |
| 4.7.3.2                | Therapy   | 135        |
| 4.7.3.3                | Consulting fee  | 138        |
| 4.7.3.4                | Referrals   | 139        |
| 4.7.3.5                | Specialization  | 140        |
| 4.7.3.6                | Medicinal plants used for remedial purpose                                  | 141        |
| 4.8                    | Section 7. Analysis of quantitative data                                    |            |
| 4.8.1                  | The main diseases identified in the study communities                       | 1 4-       |
| 4.8.1.1                | List of diseases  | 147        |
| 4.8.1.2                | Seasonal diseases   | 150        |
| 4.8.2                  | Causes of disease   | 150        |

| 4.8.3          | Health care facilities utilized by respondents  | 150       |
|----------------|---|-----------|
| 4.8.4          | The indigenous mechanisms of prevention and protection against disease                                | 152       |
| 4.8.5          | Remedial methods used by respondents  |           |
| 4.8.5.1        | Self-care   | 153       |
| 4.8.5.2        | Consultation with traditional health practitioners  | 153       |
| 4.8.5.3        | Indigenous plant materials used by respondents  | 154       |
| 4.9            | Section 8. Medicinal plant list identified by respondents   | 158       |
| 4.10.          | Section 9. Comparative evaluation of medicinal plants   | 191       |
|                | R 5. DISCUSSION OF THE RESEARCH FINDINGS, CONCLUSION AT RECOMMENDATIONS  Key findings and discussions | ND<br>201 |
| 5.1            | Key findings and discussions  | _         |
| 5.2            | Conclusion  | 212       |
| 5.3            | Recommendations   | 213       |
| REFERENCE LIST |   | 216       |
| APPENDI        | CES   |           |
| APPENDI        | X A   | 231       |
| APPENDI        | X B   | 235       |
| APPENDI        | X C   | 237       |
| APPENDI        | X D   | 238       |

# LIST OF TABLES

| Table 1:  | Date and venues of data collection  | 66  |
|-----------|---|-----|
| Table 2:  | Sample composition  | 95  |
| Table 3:  | Number of health care facilities used in the four research communities      | 108 |
| Table 4:  | Characteristics of respondents using traditional healing practices for prim | ary |
|           | health care   | 110 |
| Table 5:  | Plant medicines used by the respondents for self-medication                 | 129 |
| Table 6:  | Medicinal plants used for protective and preventive care                    | 132 |
| Table 7:  | Protective and preventive medicinal plants identified per community         | 133 |
| Table 8:  | Medicinal plants used by traditional health practitioners for remedial purp | ose |
|           |   | 142 |
| Table 9:  | Diseases identified by the respondents per community                        | 147 |
| Table 10: | Number of respondents using available health care facilities                | 151 |
| Table 11: | Cultural uses of indigenous plants  | 154 |
| Table 12: | Analysis of identification of indigenous plant use by gender and age of     |     |
|           | respondents   | 155 |
| Table 13: | Seasonal availability of indigenous plants                                  | 156 |
| Table 14: | Medicinal plant identified by respondents                                   | 156 |
| Table 15: | Comparative evaluation of medicinal plants                                  | 192 |
|           | LIST OF FIGURES   |     |
| Figure 1: | Age of respondents  | 95  |
| Figure 2: | Respondents' educational qualification                                      | 97  |
| Figure 3: | Respondents' occupation   | 98  |
| Figure 4: | Respondents' marital status   | 99  |
| Figure 5: | Respondents who were on self-care at the time of study                      | 126 |
| Figure 6: | Respondents using self-medication by gender                                 | 128 |
| Figure 7: | Types of facilities employed for primary health care                        | 153 |
| Figure 8: | Indigenous methods of preventive care                                       | 154 |

## LIST OF ABBREVATIONS AND ACRONYMS

AMRO Association of Medical Reporting Organizations

CBD Convention on Biological Diversity

CIRAN Centre for International Research and Advisory Network

CSIR Council for Scientific and Industrial Research

ESKOM Electricity Supply Commission
FAO Food and Agricultural Organization
AIDS Acquired Immune Deficiency Syndrome

HIV Human Immunodeficiency Virus

IK Indigenous Knowledge

IKS Indigenous Knowledge Systems
IPR Intellectual Property Rights

LEGDP Limpopo Economic Growth and Development Programme

MCC Medicines Control Council

MOST Management of Social Transformation

MRC Medical Research Council

NGO Non-Governmental Organization

PHC Primary Health Care

PMG Parliamentary Monitoring Group RDP Rural Development Programme SAHR South African Health Review

SANBI South African National Botanical Institute

SATMeRG South African Traditional Medicines Research Group

SEARO South East Asian Regional Office

STATSA Statistics South Africa

SPSS Statistical Package for the Social Sciences

TB Tuberculosis

UNESCO United Nation Educational, Scientific and Cultural Organization

WHA World Health Assembly WHO World health Organization

WIPO World Intellectual Property Organization

WPRO World Health Organization Western Pacific Regional Office

WTO World Trade Organization